

Generic Scheduled Reporting Setup

Enabling automated file generation

Customised for: Client Demo

Author:Philip LaceyVersion:1-2Date:2012-02-07







1. Overview

All n One's Business eXpress allows for the automated generation of data files through its CMI API. This document details the setup of this automated report generation and the setup required to enable it.

2. Table of Contents

1. Overview	2
2. Table of Contents	2
3. Data capture	3
4. Report setup	3
5. Maintenance File Setup	5
6. Scheduled Task	3
6.1 Step 1. Open the Control Panel.	3
6.2 Step 2. Windows 7 ONLY : Locate and open Administrative Tools	9
6.4 Step 4. Create a new task10)
6.5 Step 5a. Task Configuration for Windows XP1)
6.6 Step 5b. Task Configuration for Windows 71	1
7. SFTP setup	7
7.1 Remote Access	7
7.2 Basic Settings	7
7.3 Show the successful connection	3
7.4 Settings for the site manager	9







3. Data capture

All the data entry is done using the Business eXpress interface. All data is live and available on demand.

4. Report setup

In order to retrieve the data a "Data Profiling" group must be set up to enable the report to be generated.

Training videos on generating Data Profiling groups are available from within the Business eXpress system.

The report generated to delivery your requirements is

Campaign Id = 1 Report Id = 3

In order to generate a report automatically a user account with permission to generate the report must be allocated or created.

For security the users account will only be able to generate the report from pre-agreed IP addresses. From the server you wish to schedule this report on, access http://www.allnone.ie/page_help_whatismyip.php

This will give you the IP address from which this machine will access BE and so give you the IP address to allocate to the account.

Armed with the IP address, you can update the Report Generation account.







Below is a snap shot of adding a report generation account to BE, using the System Access management module. This is the same as adding any normal user. Training videos are available inside Business eXpress to explain how to create a user. The user does not need to be given any access to any module functionality.

The new user account will need to be granted security access to the campaign. Training videos are available inside Business eXpress to explain how to allocate security permissions to campaigns.

Main Menu » Syste	em Access Management menu » User Administration	Video Hetp
🖸 Add User - Sea	curity	
System Details		
Title	Firstname	Surname
Mr	Report	Generator
Password	•••••	If changed, the user will be asked to reset their password on next login.
Status	Live	 Live and Training users will be billed
Primary Contact Deta	ails	
Work Contact Mobile	353876533460	Used to SHS Staff
Work Contact Email	philip.lacey@allnone.ie	Used to email Staff
Department	General	The Department or Team the Staff works in
Primary Security Det	ails	
IP Range	83.71.208.249	If set the account will only be able to log in from this IP. Separate multiples with commas
External System Id	reportGenerator	For use with the CHI API
External System Key	reprtingKey	For use with the CMI API
Force Inactive Logout	0	After [selected] Minutes. For Data Protection usage
External Student Access	False	When IP restricted can user still access courses and conferences.
Select All	Blank All	Reset

Most importantly is the Primary Security Details section.

IP Range External System Id External System Key The IP address just discovered.a username to identify this account externallya keyword to identify this account

With all these details set, it is possible to construct the URL. Using the same details entered above the URL would be.

https://ww3.allnone.ie/client/client_demo/cti/userCTI_DataProfiling.asp?user_ _____id=reportGenerator&user_key=reprtingKey&ID=1&reportId=3







5. Maintenance File Setup

The most convenient way to execute the report is to create an executable JS (JavaScript) file on the machine that can be scheduled to be run automatically.

Here is the content for that file.

/*_____ _____ Business Express Generic Automated Routine _____ Version 1 - 02012-02-07 Date Author Philip Lacey Website http://www.allnone.ie Usage _____ Simply enter the desired URL to execute in the strURL line below. This script can be scheduled using Task Scheduler Further support documentation can be found at http://www.allnone.ie/page whitepapers.php -----*/ var strURL = "https://ww3.allnone.ie/client/client demo/cti/userCTI DataProfiling.asp?user id=abc1 23&user key=passkey&ID=123&reportId=123" /*-----_____ The following does not need to be modified. The function creates a Microsoft XMLHTTP object and posts blank to the URL specified. No feedback is returned via this mechanism. _____ -----*/ var strMaintenance; strMaintenance = fn BEX PostOrder (strURL) ; function fn BEX PostOrder (strPassed URL) { var xmlhttp = new ActiveXObject ("Microsoft.XMLHTTP"); xmlhttp.Open("POST", strPassed URL, false); xmlhttp.Send(""); return xmlhttp.responseXML; }







Copy and paste the text block above into a text document and save it whatever name you like but add .js to the end of the filename.

You will need to modify the URL (the text highlighted in orange) to match the report you wish to generate. This URL for this is in the previous Report Setup section of this document.

You should end up with a file icon like











+ 353 1 4294000 www. allnone.ie

Web

Address 48/49 Western Parkway Business Park Lower Ballymount Road Dublin 12 Ireland

Here is the constructed file for Client Demo.

/*_____ _____ Business Express Generic Automated Routine 1-0 Version 2012-02-07 Philip Lacey Date Author Website http://www.allnone.ie Usage ------Simply enter the desired URL to execute in the strURL line below. This script can be scheduled using Task Scheduler Further support documentation can be found at http://www.allnone.ie/page_whitepapers.php -----*/ var strURL = "https://ww3.allnone.ie/client/client demo/cti/userCTI DataProfiling.asp?user id=repo rtGenerator&user_key=reprtingKey&ID=5&reportId=1" _____ The following does not need to be modified. The function creates a Microsoft XMLHTTP object and posts blank to the URL specified. No feedback is returned via this mechanism. _____ -----*/ var strMaintenance; strMaintenance = fn BEX PostOrder (strURL) ; function fn BEX PostOrder (strPassed URL) { var xmlhttp = new ActiveXObject ("Microsoft.XMLHTTP"); xmlhttp.Open("POST", strPassed URL, false); xmlhttp.Send(""); return xmlhttp.responseXML; }







6. Scheduled Task

Business eXpress does not assume responsibility for timed requests. This requirement rests with the client, in this case Client Demo.

In order to enable timed requests the client must use Scheduled Tasks within windows to deliver the desired results.

The following screen shots although taken in Windows 7, also apply to Windows XP.

6.1 Step 1. Open the Control Panel.



0	 Control Panel + All Control 	ol Parnel It	erci »				• • •	Search Control Pariel
djus	t your computer's settings							View by: Large kors -
p	Action Center	1	Administrative Tools		AutoPlay	*	Back	up and Restore
1	Color Management		Credential Manager	r	Date and Time		Defa	ult Programs
	Desktop Gadgets	-	Device Manager	-	Devices and Printers		Disp	lay
1	DivX Control Panel (32-bit)	٢	Ease of Access Center	F	Flash Player (32-bit)	P	Fold	er Options
A	Fonts		Getting Started	-3	HomeGroup	0	iClo	ud
0	Indexing Options	N	Intel(R) Graphics and Media	e	Internet Options	1	Java	
\$	Keyboard		Location and Other Sensors	٩	Mail (32-bit)	I	Mou	se
ł	Network and Sharing Center		Notification Area Icons	2	NVIDIA Control Panel	2	Man	DIA nView Desktop ager
t,	Parental Controls		Performance Information and Tools	-	Personalization	4	Pho	ne and Modern
2	Power Options	同	Programs and Features	Q	QuickTime (32-bit)	1	Real	tek HD Audio Manager
ę	Recovery	8	Region and Language	-	RemoteApp and Desktop Connections	0	Sour	bd
Ş	Speech Recognition	۲	Sync Center	14	System		Task	bar and Start Menu
4	Troubleshooting	82	User Accounts	2	Windows Anytime Upgrade	3	Win	dows CardSpace
窟	Windows Defender	2	Windows Firewall	0	Windows Live Language	P	Win	dows Update







6.2 Step 2. Windows 7 ONLY : Locate and open Administrative Tools



6.3 Step 3. Locate and Open Task Scheduler

Windows XP











6.4 Step 4. Create a new task

Windows XP

The option is entitled "Add Scheduled Task

,					
Scheduled Tasks					
ie Edit View Favorites Too	is Advanced Help				
3 Back • 🕥 · 🏂 🔎	Search 🎉 Folders 🛄 -				
idress 🙆 Scheduled Tasks					Go
	Name 🔶	Schedule	Next Run Time	Last Run Time	Status
Other Places 📚	Add Scheduled Task	At 00:10 every day	00:10:00 08/	00:10:00 07/	
Control Panel My Documents My Network Places	C_BEAGIN_Maintenance_Danykouone	At UU:25 every day	00:25:00 08/	00125300 077	
Details 😵					
	4				>

Windows 7

The option is on the right entitled "Create Basic Task..."



6.5 Step 5a. Task Configuration for Windows XP







Address 48/49 Western Parkway Business Park Lower Ballymount Road Dublin 12 Ireland

Web

www. allnone.ie

+ 353 1 4294000

Scroll down and click Browse. Navigate to the JS file you created in the previous section of this document.

Scheduled Task Wizard	l	×
	Click the program you want Window To see more programs, click Browse	s to run.
	Application	Version 🔼
M	🔕 Internet Checkers	1.2.626.1
14	🟉 Internet Explorer	8.00.6001.18 🧮
	E Internet Explorer (No Add-ons)	8.00.6001.18
	🐲 Internet Hearts	1.2.626.1
	🔕 Internet Reversi	1.2.626.1
	💣 Internet Spades	1.2.626.1 🔍
		BIowse
	< <u>B</u> ack <u>N</u> ext >	Cancel

Name the task and select how frequently to execute the report. In most cases this will be daily.









Set the time to execute the report

Scheduled Task Wiza	rd 🛛 🔀
	Select the time and day you want this task to start. Start time: Start time: Perform this task: Start date: 07/02/2012
	< Back Next > Cancel

In Windows XP, you will need to set the username and password of the Windows XP account that can be automated

Scheduled Task Wizar	d 🛛 🗙
	Enter the name and password of a user. The task will run as if it were started by that user.
2	Enter the user name: ALLNONE\Administrator
	If a password is not entered, scheduled tasks might not run.
	< Back Next > Cancel







Ensure the "Open advanced properties for this task when I click Finish'' is NOT ticked. Then click Finish









6.6 Step 5b. Task Configuration for Windows 7

Name the task

Create Basic Task Wizard		X
Create a Basic Tasl	¢	
Create a Basic Task Trigger	Use this wizard such as multip	d to quickly schedule a common task. For more advanced options or settings ple task actions or triggers, use the Create Task command in the Actions pane.
Action Finish	N <u>a</u> me: <u>D</u> escription:	
		< <u>B</u> ack Next > Cancel

Set the timing period required to run the reports

Create Basic Task Wizard		×
🔟 Task Trigger		
Create a Basic Task Trigger Action Finish	When do you want the task to start? Daily Weekly Monthly One time When the computer starts When I log on When a specific gvent is logged < Back Mext > 	Cancel







Address 48/49 Western Parkway Business Park Lower Ballymount Road Dublin 12 Ireland

Set the time the report will run and then click Next

Create Basic Task Wizard		×
Daily		
Create a Basic Task Trigger Daily Action Finish	Start: 07/02/2012	
	< <u>B</u> ack <u>N</u> ext >	Cancel

Choose "Start a program" and click next

Create Basic Task Wizard		x
2 Action		
Create a Basic Task Trigger Daily	What action do you want the task to perform?	
Action	Start a program	
Finish	Send an e-mail	
	 Display a message 	
	< <u>B</u> ack <u>N</u> ext >	Cancel







Click the browse button and navigate to the JS file you created in the previous section of this document.

Create Basic Task Wizard		×
5tart a Program		
Create a Basic Task		
Trigger	Program/script:	
Daily		B <u>r</u> owse
Action	Add arguments (antional)	
Start a Program	Aud arguments (optional):	
rinish	S <u>t</u> art in (optional):	
	< <u>B</u> ack	Next > Cancel

Click Finish.

Create Basic Task Wizard		
Summary		
Create a Basic Task		
Trigger	Name:	Oxigen Demo
Daily	Description:	Auto generation of reports
Action		
Start a Program		
Finish		
	Trigger:	Daily; At 07:50 every day
	Action:	Start a program; iexplore "https://ww3.allnone.ie/client/client_oxigen/cti/use
	Open the	Properties dialog for this task when I click Finish
	When you cli	ck Finish, the new task will be created and added to your Windows schedule.
		< <u>B</u> ack <u>F</u> inish Cancel







7. SFTP setup

7.1 Remote Access

Retrieving of files can be done a number of ways. SFTP is one of these ways.

This is usually done using a secure FTP client such as FileZilla.

http://filezilla-project.org/

FileZilla The free FTP solution

7.2 Basic Settings

Host:	82.195.135.248
Username:	ftpdemo
Password:	will be communicated separately—
Encryption:	Require explicit FTP over TLS
Transfer Model:	Passive







7.3 Show the successful connection

6 Oxigen	Data - ftpes://ftpoxigen@82.195.135.248 - FileZilla
<u>File</u> <u>E</u> dit	<u>V</u> iew <u>Transfer</u> <u>Server</u> <u>B</u> ookmarks <u>H</u> elp
1 - (. ? ? ? * * * *
Host:	Username: Password:
Status:	Connecting to 82.195.135.248:21
Status:	Connection established, waiting for welcome message
Response:	220 Welcome to the SFTP access of ww3.allnone.ie
Response:	234 Using authentication type TLS
Status:	Initializing TLS
Status:	Verifying certificate
Command:	USER ftpoxigen
Response:	331 Password required for ftpoxigen
Command:	PASS *********
Response:	230 Logged on
Command:	215 LINTX emulated by File Zilla
Command:	FEAT
Response:	211-Features:
Response:	MDTM
Response:	REST STREAM
Response:	MIST type*:size*:modify*:
Response:	MLSD
Response:	AUTH SSL
Response:	AUTH TLS
Response:	PROT
Response:	LITE8
Response:	CLNT
Response:	MEMT
Response:	211 End
Command:	PBSZ 0
Command:	PROT P
Response:	200 Protection level set to P
Status:	Connected
Status:	Retrieving directory listing
Response:	215 UNIX emulated by FileZilla
Command:	FEAT
Response:	211-Features:
Response:	MDTM
Response:	REST STREAM
Response:	SIZE
Response:	MLST type*;size*;modify*;
Response:	MLSD
Response:	AUTHISS
Response:	PDOT
Response:	PROT
Response:	ITTE8
Response:	CINT
Response:	MEMT
Response:	211 End
Command:	PBSZ 0
Response:	200 PBSZ=0
Command:	PROT P
Response:	200 Protection level set to P
Status:	Connected
Status:	Retrieving directory listing
Command:	CWD /
Response:	250 CWD successful. "/" is current directory.
Command:	PWD
Response:	257 "/" is current directory.
Command:	TYPE I
Response:	200 Type set to I
command:	PASV
Response:	227 Entering Passive Mode (82,195,135,248,23,113)
Command:	INLSU 150 Connection acconted
Response:	206 Transfer OK
Response:	220 Indister UN Directory listing successful
Response:	421 Connection timed out
Error:	Connection closed by server
Error:	Connection closed by server







7.4 Settings for the site manager

Site Manager		×
Site Manager Select Entry: My Sites Hidden OxigenData	General Adv Host: Protocol: Encryption: Logon Type: User: Password: Account:	anced Transfer Settings Charset 82.195.135.248 Port: FTP - File Transfer Protocol Require explicit FTP over TLS Normal T ftpoxigen
New Site New Eolder New Bookmark Rename Delete Copy Connect	Comments:	Cancel







Select Entry:	
My Sites	General Advanced Transfer Settings Charset
Hidden	The server uses following charset encoding for filenames:
OxigenData	Autodetect
2	Use UTF-8 if the server supports it, else use local charset.
	Force UTF-8
	O Use <u>c</u> ustom charset
	Encoding:
	Using the wrong charset can result in filenames not displaying properly.
New Site New Folder	
New Book <u>m</u> ark <u>R</u> ename	
Delete Copy	
Connect	
Connect	



